

The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) In a distributed computing environment, a method for dynamically multicasting a message from a first entity to selected ones of a plurality of **e-business** entities, comprising:

subscribing to a service interface by the certain **ones** of the plurality of **e-business** entities;

publishing the message to the broker by the first entity;

determining the selected ones of the plurality of **e-business** entities to receive the message by the broker; and

publishing the message to the selected ones of the plurality of **e-business** entities based upon the determining by the broker.

2. (currently amended) A method as recited in claim 1, further comprising:

setting an expiration time for the published message **after receiving the published message from the first entity**;

if it is determined that none of the plurality of **e-business** entities is to receive the message; then until the expiration time lapses,

retaining the published message in the broker;

determining if an appropriate one of the plurality of **e-business** entities has subsequently subscribed to the service interface so as to be identified to receive the message; and

purging the message when the expiration period lapses

3. (original) A method as recited in claim 1, further comprising:

receiving the message at each of the selected ones of the plurality of e-business entities;

reviewing the message at each of the selected ones of the plurality of e-business entities;

and

determining if a response to the message is to be generated at each of the selected ones of the plurality of e-business entities based upon the reviewing .

4. (original) A method as recited in claim 3, further comprising:  
publishing the response to the service interface based upon the determining;  
publishing the response to the broker by the service interface; and  
publishing the response to the first e-business entity by the broker.
5. (original) A method as recited in claim 4, wherein the responding ones of the plurality of e-business entities are each anonymous to the first e-business entity.
6. (original) A method as recited in claim 3, further comprising:  
publishing the response directly to the first e-business entity based upon the determining.
7. (original) A method as recited in claim 6, wherein the responding ones of the plurality of e-business entities are each known to the first e-business entity.
8. (original) A method as recited in claim 3, further comprising;  
publishing the response to the service interface based upon the determining; and  
publishing the response to the first e-business entity by the service interface.
9. (original) A method as recited in claim 8, wherein the responding ones of the plurality of e-business entities are each known to the first e-business entity.
10. (original) A method as recited in claim 1, wherein the message is a request for a quote (RFQ).
11. (original) A method as recited in claim 1, wherein the response is a quote.
12. (currently amended) A method as recited in claim 1, wherein the first ~~e-business~~ entity is included in a first enterprise computer system and wherein at least one of the responding e-business entities is included in a second enterprise computing system.
13. (original) A method as recited in claim 12, wherein the first and the second enterprise computing systems are different enterprise computing systems.

14. (original) A method as recited in claim 12, wherein the first enterprise computing systems is an ebXML based enterprise computing system.

15 (original) A method as recited in claim 12, wherein the second enterprise computing systems is an ebXML based enterprise computing system.

16. (original) In a distributed computing environment, a system for dynamically multicasting a message from a first e-business entity to selected ones of a plurality of e-business entities, comprising:

a brokering service interface coupled to the plurality of e-business entities each of which subscribes to the service interface by providing information specific to each of the plurality of e-business entities subscribing to the service interface wherein the service interface information is associated with a list of subscribing e-business entities and associated subscribing e-business information; and

a broker with access to a service interface wherein the message is published to the broker by the first e-business entity which in turn looks up service interface description as well as subscriptions associated with said service interface, and wherein the service interface multicasts the message to the selected ones of the plurality of e-business entities based upon the information specific to each of the plurality of e-business entities subscribing to the service interface.

17. (original) A system as recited in claim 16, wherein when the message is received at each of the selected ones of the plurality of e-business entities the message is reviewed the message at each of the selected ones of the plurality of e-business entities and, based upon the review, a determination is made whether or not a response to the message is to be generated at each of the selected ones of the plurality of e-business entities.

18. (original) A system as recited in claim 17, wherein, based upon the determining, the response is published to the service interface, wherein the service interface publishes the response to the broker, and wherein the broker publishes the response to the first e-business entity.

19. (original) A system as recited in claim 16, wherein the message is a request for a quote (RFQ).

20. (original) A system as recited in claim 16, wherein the response is a quote.

21. (original) A system as recited in claim 16 wherein the message is retained in the broker until a message expiration period lapses.

22. (new) A method comprising:  
making available a plurality of subscription services through a plurality of subscription interfaces in a distributed computing environment;  
arranging for e-business entities to selectively subscribe to one or more of the subscription services through the subscription interfaces respectively;  
arranging to receive a message associated with a selected one of the plurality of subscription services from a first entity;  
brokering at a broker the message by ascertaining the e-business entities that have subscribed to the subscription associated with the message; and  
publishing the message to the ascertained e-business entities that have subscribed to the subscription associated with the message.

23. (new) The method of claim 22, wherein arranging to receive the message further comprises:  
retaining the message for a predetermined period of time after receiving the message from the first entity;  
determining if one of the plurality of e-business entities has subscribed to the associated one of the plurality of subscription services during the predetermined period of time and sending the message to the one of the plurality of e-business subscribers that subscribed during the predetermined period of time; and  
purging the message at the broker after the predetermined period of time.

24. (new) The method of claim 22, further comprising  
arranging for each of the selected e-business entities to receive the message;  
arranging for each of the selected e-business entities to review the message; and  
arranging for each of the e-business entities to determine if responses to the message are to be generated respectively.

25. (new) The method of claim 24, further comprising:

arranging for each of the e-business entities that determined if a response is to be generated to publish the responses to the service interface;  
publishing the responses to the broker by the service interface; and  
arranging for the broker to publish the responses to the first entity.

26. (new) The method as recited in claim 25, further comprising arranging for the responding ones of the plurality of e-business entities to be each anonymous to the first entity.

27. (new) The method as recited in claim 25, further comprising arranging for the identity of the responding ones of the plurality of e-business entities to be known by the first entity.

28. (new) The method as recited in claim 22, wherein the message is a request for a quote (RFQ).

29. (new) The method as recited in claim 24, wherein the responses are quotes.

30. (new) The method as recited in claim 22, wherein the first entity is included in a first enterprise computer system and wherein at least one of the responding e-business entities is included in a second enterprise computing system.

31. (new) The method as recited in claim 22, wherein the first and the second enterprise computing systems are different enterprise computing systems.

32. (new) The method as recited in claim 22, wherein the first enterprise computing systems is an ebXML based enterprise computing system.

33. (new) The method as recited in claim 22, wherein the second enterprise computing systems is an ebXML based enterprise computing system.